

JOHN XANTHAKIS : SOLAR ACTIVITY AND A GLOBAL SURVEY OF PRECIPITATION





П

Т О

Abs

Rés

Πεφ

1.

2.

3.

4.

5.

6.

Ta

Ap

Ap

fact

that

cycl

this

thank

ject

hem

desc

al to

ann

I_{α} ,

also

is r

of th

been

perio

relat

et la

rente

kos,

expo

logu

expr

valeu

les z

aussi

des c

plutôt


périod

de l'

de (

ques,

relati



tions

tions

a sta

durin

tion,

the a

numb

will r

will l

ent l


tude


each

and

latitu

becau





A
s
h
h
a
a
a
s
I
w
w
s
to
in
re
(P
ti
en
(O
la
pl



W180° 170° 160° 150° 140° 130° 120° 110° 100° 90° 80° 70° 60° 50° 40° 30° 20° 10° 0° 10° 20° 30° 40° 50° 60° 70° 80° 90° 100° 110° 120° 130° 140° 150° 160° 170° 180° 70 NIDE

W 180° 170° 160° 150° 140° 130° 120° 110° 100° 90° 80° 70° 60° 50° 40° 30° 20° 10° 0° 10° 20° 30° 40° 50° 60° 70° 80° 90° 100° 110° 120° 130° 140° 150° 160° 170° 180° E ZONES

30000-mm

25000-

1910 1920

1930 1940

1950 1960

1900

1910

1920

1930

1940

1950

1960



18th s
lation
whole
solar r

«anom
malou
station

values
(=494

$\overline{R - R_0}$
rather
periods

signific
signific
calcula
the me

of \overline{R} -
the tab
the sta

1

in this
very sh
the area
and 195
ween th
O
dence l

A

between

ranges
0.01 co

variatio
the year
change
phase r

Howeve
cant (in
correla

the tim
of $\overline{R -}$
for exa

hemisp
indices

3. D

F
fall tota
Northern
exhibite
was bas
reported
during
BAXEN
dent da
35 yrs a
[8] in Pa
P
ferent i
are liste

$\overline{R - R_0}$,
with the

The res

a) Nor

In
ages in
curves,
tude bel
120 mm.
by 180°,
Because
phase re
variation
iour can

Ec
which pr
In
of $\overline{R - R_0}$
and amp
(dashed l
by the re

In
for the f

It would
zone 2
36 year

ed since
I
impose
term to

$$L_t =$$

I
average
period
1906, a
imposed

I
not like
variatio

other ha
with per
36-year

11-year

I
amplitud

I
correspo
I
posed n
amplitud
50 mm.

16 years
posite c

T
curve, h
tion (6)
compon
sent cen
century

F
also be a

$$L_t = -$$

F
thern equ
odicity s
belts the
their per
superimp
overall c
appearan
extrapola
cast the
task of g
 $0^\circ - 10^\circ$ an
period we
zones. In
periodicit

should e
1913. Sin
periodic
T
described

It
its maxim
latitude h

b) South

Th
values fo
similar to
correspon
behaviour

In
values fo

Th
probably

fig. 19a

12-year

superim

80 years

L_t - vari

In

while th

In

11-year

also obs

differenc

In

are proba

of 16 and

when the

that this p

of the 32-

uous curv

in the form
 $\overline{R - R_0}$ and
values used
in the last


Correlations

Z o n e
0° - 10°
»
10° - 20°
»
20° - 30°
»
30° - 40°
40° - 50°
»
50° - 60°
»
60° - 70°
70° - 80°

From
and $\varphi \geq$
zonal an
retain its
the equat
more tha
hemisphe

all correlations
confidenc
ed with

If t
dependent




(A) $R - R_0 - S_a$



1885 1890 1900 1910 1920 1930 1940 1950 1960

1885 1890 1900 1910 1920 1930 1940 1950 1960

50—





(5,7)

Zone

There is only one

Since

but these

great im

available

stations :

Ist

In

them fro

data on a

culated f

the relat

In

ences (\bar{R}

(\bar{W}

Th

variation

has a per

figure it



1885 1890 1900 1910 1920 1930 1940 1950 1960



1885 1900 1910 1920 1930 1940 1950 1960

6

p

1

a

L

(5

+

2

1

ra

—

—

+

—

—

+

Z

(F

an

ag

7

y

b

(5

Z

fi

19

d

an

1885 1890

1900

1910

1920


1930


1940

1950

1960

(28)





(2)

1900 1910 1920 1930 1940 1950 1960

100—

from the
 mary I
 18-year

1910





Fig. 33.
 the latitude
 L_t (18-year
 values of

T
 curves, v
 ences (\bar{L})



From different

1) numbers by a line

(6,1)

where to positive

(S 2) the symbol
The the value

In
available

In
formula

In
the value
values of

Fi

A
for each

N o
W - variatio
in a forthc

Longitud

S

Koror

Sadok

Calaba



Year

1930

1

2

3

4

5

6

7

8

9

1940

1

2

3

4

5

6

7

8

9

1950

1

2

3

4

5

6

7

8

9

1960

1890

1900

1910

1920

1930

1940

1950

1960

Longitu

$L_t = 80$

S


Bom

Belg

Man

Mad

Port



Year

1930

1

2

3

4

5

6

7

8

9

1940

1

2

3

4

5

6

7

8

9

1950

1

2

3

4

5

6

7

8

9

1960

9

1000

1000

1000

1000

1000

1000

1000

Longitud

Lat

b_n

— 30

50

— 80

90

80

— 60

50

30

S


Calcu

Shillo

Patma

Allaha

Hong



Year

1927

8

9

1930

1

2

3

4

5

6

7

8

9

1940

1

2

3

4

5

6

7

8

9

1950

1

2

3

4

5

6

7

8

9

1960

London



Year

1928

9

1930

1

2

3

4

5

6

7

8

9

1940

1

2

3

4

5

6

7

8

9

1950

1

2

3

4

5

6

7

8

9

1960

Long

196	Ye
195	195
194	195
193	195
192	195
191	195
190	195
189	195
188	195
187	195
186	195
185	195
184	195
183	195
182	195
181	195
180	195
179	195
178	195
177	195
176	195
175	195
174	195
173	195
172	195
171	195
170	195
169	195
168	195
167	195
166	195
165	195
164	195
163	195
162	195
161	195
160	195
159	195
158	195
157	195
156	195
155	195
154	195
153	195
152	195
151	195
150	195
149	195
148	195
147	195
146	195
145	195
144	195
143	195
142	195
141	195
140	195
139	195
138	195
137	195
136	195
135	195
134	195
133	195
132	195
131	195
130	195
129	195
128	195
127	195
126	195
125	195
124	195
123	195
122	195
121	195
120	195
119	195
118	195
117	195
116	195
115	195
114	195
113	195
112	195
111	195
110	195
109	195
108	195
107	195
106	195
105	195
104	195
103	195
102	195
101	195
100	195
99	195
98	195
97	195
96	195
95	195
94	195
93	195
92	195
91	195
90	195
89	195
88	195
87	195
86	195
85	195
84	195
83	195
82	195
81	195
80	195
79	195
78	195
77	195
76	195
75	195
74	195
73	195
72	195
71	195
70	195
69	195
68	195
67	195
66	195
65	195
64	195
63	195
62	195
61	195
60	195
59	195
58	195
57	195
56	195
55	195
54	195
53	195
52	195
51	195
50	195
49	195
48	195
47	195
46	195
45	195
44	195
43	195
42	195
41	195
40	195
39	195
38	195
37	195
36	195
35	195
34	195
33	195
32	195
31	195
30	195
29	195
28	195
27	195
26	195
25	195
24	195
23	195
22	195
21	195
20	195
19	195
18	195
17	195
16	195
15	195
14	195
13	195
12	195
11	195
10	195
9	195
8	195
7	195
6	195
5	195
4	195
3	195
2	195
1	195

1890

1900

1910

1920

1930

1940

1950

1960

Long

L

Y

19

19

19

1885 1890
1900 1910
1920 1930
1940 1950
1960 1970

Longi

L



Yo

19

194

195

196

Longit


I

Yc

19

19

19



Long

b

80

— 60

120

100

100

80

40

— 80

— 80

— 120

Y

1

1

1

1

1

Lon

b

- 80

+ 80

- 60

+ 80

+ 60

+ 30

- 30

- 90

1

1

1

1

1

1

1

1

1

1

1

1

1

1

Lon

10

10

—

—

+

Lo

1

1

1

1

1

1

1

1

1

1


1

1

1

1

Lon



1900

1910

1920

1930

1940

1950

1960

1970

1980

1990

Lo

—

—

+

+


+

+

1

1

1



[1]

[2]

[3]

[4]

[5]

[6]

[7]

[8]

[9]

[10]

[11]

[12]

[13]

[14]

[15]

[16]

[17]

[18]

[19]

[20]

1

1

1

1

1

1

1

10

11

12

13


14

15

16

17

18



	5
	6
	7
	8
	9
	10
	11
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26
	27
	28
	29
	30
	31
	32
	33
	34
	35
	36
	37
	38



1

1

1

1

1

1

1

1

1

1

1

1

1



